



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Sharp	Logo
Company name *	Sharp Electronics Europe Ltd	CILADO
Contact information *	environment@sharp.eu	SHARP
e-mail address		
Internet site *	www.sharp.eu	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	MFP			
Commercial name *	MX-5071			
Model number *	MX-5071			
Issue date *	13th, November 2019(Updated 3rd, June 2021)			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5

Model number *	MX-5071	Logo	011400
Issue date *	13th, November 2019(Updated 3rd, June 2021)		SHARP

Product	environmental attributes - Legal requirements	Require	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.4*	concentration values. Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated		$\overline{}$	
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week	\boxtimes		
	(see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
	www.sharp.eu			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)		Ш	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)	-	\overline{H}	\boxtimes
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional	\dashv	\overline{H}	\boxtimes
	user", the related text is present and legible on the external packaging (see legal reference)		ш	
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):			\boxtimes
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products, (see legal reference).			
	Required information is; given in item P15 or added to this document,			\boxtimes
	available at (add URL):	_	_	_
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see			
	legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		\boxtimes	
	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference). NOTE: The toner is not classified as hazardous.			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\boxtimes		
Dr. Ot	hexavalent chromium by weight of these together.		_	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
1 0.1	information for roughlorar treatment reclinices to available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MX-5071	Logo	
Issue date *	13th, November 2019(Updated 3rd, June 2021)		SHARP

	t environmental attributes - Market requirements (See General Note GN below)	_		
	Environmental conscious design		irement	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.a	l.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	X	- H	H
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\overline{X}	∺	+
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		-#-	\dashv
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		\dashv	\dashv
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			+
1 7.0	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	X	-#-	∺
P7.9.	Spare parts are available after end of production for: 7 years			\dashv
P7.10	Service is available after end of production for: 7 years			+
1 1.10	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC Material type: PC+ABS Material type: PET			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		\boxtimes	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: (FR40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	•			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	>FR(17)< or >FR(40)< In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
17.13	assigned the following Risk phrases; and Hazard statements:		Ш	
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):			
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is <i>0~1.0</i> %.			
	or			
	b) The weight of recycled material is g.			
1				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	MX-5071	Logo	CLIADO
Issue date *	13th, November 2019(Updated 3rd, June 2021)		SHARP

Product	Product environmental attributes - Market requirements (continued) Requirement						met				
Item									Yes	No	n.a.
	Material and substance requirements (continued) Biobased plastic material content is used in the product (See NOTE B7):										
P7.21*			d in the product (See NOTE B7): es below shall be answered;			\boxtimes	Ш				
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.										
	or b) The weight of the biobased plastic material is g.										
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.										
	If mercury is used	specify: Number of lamp	os:	and maximu	m mercury co			mg			
P7.23*		s an integral display, the	total m	ercury content i	n the integrat	ed displa	y: mg				
P8	Batteries Battery chemical composition: LiMnO2										
P8.1*	<u>.</u>	•									
P9		otion (See NOTE B8)	05.000	ray, concumentio		, di					
		e following power levels					r <u></u>				
Energy mo	ode *	Power level at 100 V AC		wer level at 115 V AC	Power le 230 V		Reference/St modes and te			energy	Ш
	le for ENERGY perational Mode	W		W	W						
Standby/of	ff mode for STAR Operational	W		W	W						
TEC produ	for ENERGY STAI acts (TEC= Typical ansumption)	R kWh/week		kWh/week		ove TEC	Energy Star value meets Imaging Equi	TEC Re	quirem		
Maximum consumpt		W		W	2070 W						
Operating		W		W	980 W						
Ready mo	ode	W		W	160 W						
Preheat m	ode	W		W	124 W						
Auto pow	er shut-off mode	W		W	0.5 W						
Plug-in of	f mode	W		W	0.1 W						
External P	ower Supply Efficie	ncy Level (International I	Efficien	cy Marking Pro	tocol) *:						\boxtimes
Print/Scan	Speed *	: 50 images per minute					Color/Mono	chrome			
Default tim	e to enter energy s	ave mode: 11 minutes									
P9.2*	Information about	the energy save function	n is pro	vided with the p	roduct.				\boxtimes		
P10	Emissions (See N										
P10.1		Declared according to IS Mode description	SO 929	6 Declared		Declare	d A-weighted	sound n	recur	a lovel	
1 10.1	Wode	wode description		A-weighted so	und power	(dB)					
				level $L_{W\!A\!d}$ (B)	Operato	r position	Bystar	nder po	sitions	
				(The statistica verification (O) 0.3B, Standby included.)	perating	or [Desktop Desk side	(only if opera		et is not ended)	
	Idle	* Standby		* 3.2		12					
	Operation	* Operating		* 7.1			5	56			
	Other mode								-		
	Measured accord	· = -	ECMA-	74 not covered by	FCMA-74 wit	h I m	easurement dis	stance	m))	
	The product meet	s the acoustic noise requ	` ,								

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

MX-5071	Logo	
13th, November 2019(Updated 3rd, June 2021)		SHARP

Item Chemical emissions from printing products (See NOTE B10) Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) other specify: Blue Angel DE-UZ 205 Typical emission rate (operation phase) is (mg/h): Color/Monochrome Electrophotographic devices: Ozone 1.4/- Dust 0.5/- Styrene 0.2/- Benzene 0.02/- TVOC 5.7/- ("< LOD" means less than limit of detection.) Ink devices: Ozone 1.4/- Dust 0.5/- Styrene Benzene TVOC NOTE: compliance with maximum emission rates in eco labels to be declared in P14. P11.2*	n.a.
P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: Blue Angel DE-UZ 205 P10.3 Typical emission rate (operation phase) is (mg/h): Color/Monochrome Electrophotographic devices: Ozone 1.4/- Dust 0.5/- Styrene 0.2/- Benzene 0.02/- TVOC 5.7/- ("< LOD" means less than limit of detection.) Ink devices:	
P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: Blue Angel DE-UZ 205 P10.3 Typical emission rate (operation phase) is (mg/h): Color/Monochrome Electrophotographic devices: Ozone 1.4/- Dust 0.5/- Styrene 0.2/- Benzene 0.02/- TVOC 5.7/- ("< LOD" means less than limit of detection.) Ink devices:	
Typical emission rate (operation phase) is (mg/h): Color/Monochrome Electrophotographic devices: Ozone 1.4/- Dust 0.5/- Styrene 0.2/- Benzene 0.02/- TVOC 5.7/- ("< LOD" means less than limit of detection.) Ink devices: Dust Styrene Benzene TVOC NOTE: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13. Packaging and documentation P13. Product packaging material type(s): Paper / Cardboard Product packaging material type(s): Plastic / EPS Weight (kg): 5.76 Weight (kg): 0.36 Weight (kg): 0.36 Product packaging material type(s): Wood Weight (kg): 8.15 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic N Paper Other County Paper Other County Paper P	
Electrophotographic devices: Ozone 1.4/- Dust 0.5/- Styrene 0.2/- Benzene 0.02/- TVOC 5.7/- ("< LOD" means less than limit of detection.) Ink devices: Dust Styrene Benzene TVOC NOTE: compliance with maximum emission rates in eco labels to be declared in P14. P11.2 Consumable materials for printing products P11.1 A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): Paper / Cardboard weight (kg): 5.76 Product packaging material type(s): Plastic / EPS weight (kg): 0.36 Product packaging material type(s): Wood weight (kg): 8.15 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic Paper Octuber Occumentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free	
P11. Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13. Packaging and documentation P13.1* Product packaging material type(s): Paper / Cardboard Product packaging material type(s): Plastic / EPS Weight (kg): 5.76 Product packaging material type(s): Wood Weight (kg): 8.15 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic S, Paper S, Other Electronic S, Paper S, Other User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free	
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): Paper / Cardboard weight (kg): 5.76 Product packaging material type(s): Plastic / EPS weight (kg): 0.36 Product packaging material type(s): Wood weight (kg): 8.15 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic N Paper N Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free	
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): Paper / Cardboard weight (kg): 5.76 Product packaging material type(s): Plastic / EPS weight (kg): 0.36 Product packaging material type(s): Wood weight (kg): 8.15 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic N Paper N Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free	
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): Paper / Cardboard Product packaging material type(s): Plastic / EPS Product packaging material type(s): Wood Weight (kg): 0.36 Product packaging material type(s): Wood Weight (kg): 8.15 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic Paper Other Paper Other Paper Other Paper Pap	
P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Packaging and documentation P13.1* Product packaging material type(s): Paper / Cardboard weight (kg): 5.76 Product packaging material type(s): Plastic / EPS weight (kg): 0.36 Product packaging material type(s): Wood weight (kg): 8.15 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Elemental chlorine-free	
P13.1* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): Paper / Cardboard weight (kg): 5.76 Product packaging material type(s): Plastic / EPS weight (kg): 0.36 Product packaging material type(s): Wood weight (kg): 8.15 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free	_
P13.1* Product packaging material type(s): Paper / Cardboard weight (kg): 5.76 Product packaging material type(s): Plastic / EPS weight (kg): 0.36 Product packaging material type(s): Wood weight (kg): 8.15 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic ☑, Paper ☑, Other ☐ P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free □ □	П
P13.1* Product packaging material type(s): Paper / Cardboard weight (kg): 5.76 Product packaging material type(s): Plastic / EPS weight (kg): 0.36 Product packaging material type(s): Wood weight (kg): 8.15 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free	
P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free	
consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other . P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free	
Electronic , Paper , Other . P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free	
User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free	
Elemental chlorine-free	
- 10000000 stilletime itee	
P14 Voluntary programs:	
P14.1 The product meets the requirements of the following voluntary program(s):	
ENERGY STAR® Criteria version: Date: Product category:	
Eco-label: Blue Angel Criteria version: DE-UZ205 Date: 7 May 2019 Product category: Office Equipment v	rith
Eco-label: Nordic Ecolabel Criteria version: 6 Date: 16 April 2019 Product category: Imaging Equipmer	t
P15 Additional information (See NOTE B11)	

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	