

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Sharp	Logo
Company name *	Sharp Electronics Europe Ltd	CLIADO
Contact information *	environment@sharp.eu	SHARP
e-mail address		
Internet site *	www.sharp.eu	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

Type of product *	MFP
Commercial name *	MX-8090N
Model number *	MX-8090N
Issue date *	14th,February,2018 (Updated 1st, April 2021)
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5			
Model number *	MX-8090N	Logo	
Issue date *	14th,February,2018 (Updated 1st, April 2021)		SHARP

Product	environmental attributes - Legal requirements	Require	ement	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
D / / /	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week	\square		
	(see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): www.sharp.eu	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			\boxtimes
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)			\times
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional	Ē	Ē	X
	user", the related text is present and legible on the external packaging (see legal reference)			
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):			\square
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,			\boxtimes
	(see legal reference).			
	Required information is; given in item P15 or added to this document,			\boxtimes
	available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).	\square		
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\square		
-	legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		\boxtimes	
	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference). NOTE: The toner is not classified as hazardous.			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and			
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)		
P5.3*	used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal			
F 0.0	Protocol (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square		
		لالك		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MX-8090N	Logo	
Issue date *	14th,February,2018 (Updated 1st, April 2021)		SHARP

Item	Environmental conscious design *=mandatory to fill in. Additional information regarding each item may be found under P14.	Requi	No n.:	
P7	Design	165	INO 11.0	<u>a.</u>
•	Disassembly, recycling			
² 7.1*	Parts that have to be treated separately are easily separable	\square		
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ē	
7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		<u> </u>	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools		Ē	
P7.9.	Spare parts are available after end of production for: 7 years			
7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: <i>PC+ABS</i> Material type: <i>PC+ABS</i> Material type: <i>PC+ABS</i>	-MD5		
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%		Ē	
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
P7.15	containing more than 25% post-consumer recycled content.			
-7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61340.2.21 (See NOTE B2)		\bowtie	
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2) Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			
1.10	Marking: (FR40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) 🔲, TBBPA (reactive) 🔀 (See NOTE B3), Other; chemical name: , CAS #:	\boxtimes		
	Alt 0. Observice large of the second set of the second set of the	_	_	_
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	1		
	concentrations above 0,1%:			Г
	1. Chemical name: , CAS #: (See NOTE B4)			_
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			_
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	\bowtie		
	>FR(17)< or >FR(40)<			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5) Postconsumer recycled plastic material content is used in the product (See NOTE B6):			
1.20	r osconsumer recycled plastic material content is used in the product (See NOTE D0).	\boxtimes		L
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is $0 \sim 1.0$ %.			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	MX-8090	N					Logo				
Issue date *	14th,Feb	ruary,2018 (Updated	2018 (Updated 1st, April 2021)					SF		R	Ρ
Product environm	nental att	ributes - Market ree	quirem	ents (contin	ued)			Re	quire	ment	met
Item			•	•					Yes	No	n.a.
		ance requirements (c									
If YES; a a) Of t tota or	t least one otal plastic plastic by	terial content is used i of the two alternatives parts' weight > 25 g, t weight) is %. he biobased plastic ma	below s the biob	shall be answer ased plastic ma	ed;	nt (calculatec	d as a perce	entage of			
	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.										
P7.23* If product	includes a	in integral display, the	total me	ercury content in	n the integrat	ed display:	mg			\boxtimes	
P8 Batteries											
P8.1* Battery c	nemical coi	mposition: <i>LiMnO2</i>									
		on (See NOTE B8)									
P9.1 For the p	roduct the	following power levels	or ener	gy consumptior	ns are reporte	ed:					
Energy mode *		Power level at 100 V AC	1	wer level at 15 V AC	Power le 230 V		eference/Si odes and te			nergy	
Sleep mode for ENE STAR® Operational I (OM) products		W		W	W						
Standby/off mode for ENERGY STAR Ope Mode (OM) products		W		W	W						\square
TEC value for ENER TEC products (TEC= Energy Consumption	Typical	kWh/week		kWh/week		week*Energy Star (ver. 2.0)above TEC value meets TEC RequirementGY STAR for Imaging Equipment Version 2.0					
Maximum power consumption		W		W	3840 W						
Operating mode		W		W	1810 W						
Ready mode		W		W	360 W						
Preheat mode		W		W	250 W						
Auto power shut-of	f mode	W		W	1.1 W						Ħ
Plug-in off mode		W		W	0.2 W						
	lv Efficienc	y Level (International I	Efficien	cv Marking Prot	-						
				oy manang 100							
Print/Scan Speed *		80 images per minute				C	olor / Mon	ocnrome			
Default time to enter											
		e energy save function	n is prov	vided with the p	roduct.				\square		
P10 Emission	s (See NO	TE B8) eclared according to IS		2							
P10.1 Mode	M	ode description	50 9290	Declared A-weighted so	und power	Declared A (dB)	A-weighted	sound pre	essure	level	
				level L_{WAd} (B) Operative (The statistical adder for			osition esktop sk side	Bystand (only if p operat		is not	
				included.)	- ,						
Idle		Standby		* 5.2	33						
Operation Other mo		Operating		* 7.8				50			
	d according	Other (not covered by l					m)		
The prod	uct meets t	the acoustic noise requ	uiremen	ts of the followi	ng voluntary	program/s: L	Blue Angel	DE-UZ 205	\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Annex B1 of ECMA-370 6th edition

Model number *	MX-8090N	Logo	
Issue date *	14th,February,2018 (Updated 1st, April 2021)		SHARP

st performed according to uipment (ISO/IEC 28360) pical emission rate (operat ectrophotographic devices: devices: DTE: compliance with maxi nsumable materials for j Bafety Data Sheet (SDS) is per containing post-consul 12281. ided (duplex) printing/cop	s available for the ink/toner p mer recycled fibers can be u	Chemical Emission Rates f el DE-UZ 205 Monochrome N/A Styrene 1.3 / 0.1 Be ("< LOD" means less t Styrene Benzen abels to be declared in P14.	nzene <i>0.03 / 0.03</i> han limit of detection.) e TVOC	Yes	No	n.a.
st performed according to uipment (ISO/IEC 28360) pical emission rate (operat ectrophotographic devices: devices: DTE: compliance with maxi nsumable materials for j Bafety Data Sheet (SDS) is per containing post-consul 12281. ided (duplex) printing/cop	ECMA-328 Determination of , other specify: <i>Blue Ang</i> ion phase) is (mg/h): <i>Color</i> / Ozone 2.2 / 0.9 Dust 3.9 / TVOC 9.5 / 4.3 Dust mum emission rates in eco la printing products a vailable for the ink/toner p mer recycled fibers can be us	Chemical Emission Rates f el DE-UZ 205 Monochrome N/A Styrene 1.3 / 0.1 Be ("< LOD" means less t Styrene Benzen abels to be declared in P14.	nzene <i>0.03 / 0.03</i> han limit of detection.) e TVOC			
uipment (ISO/IEC 28360) pical emission rate (operative ectrophotographic devices: devices: DTE: compliance with maxive msumable materials for pical Safety Data Sheet (SDS) is per containing post-consult 12281. ided (duplex) printing/copy	other specify: Blue Ang ion phase) is (mg/h): Color / Ozone 2.2 / 0.9 Dust 3.9 / TVOC 9.5 / 4.3 Dust mum emission rates in eco la printing products a vailable for the ink/toner p mer recycled fibers can be us	el DE-UZ 205 Monochrome N/A Styrene 1.3 / 0.1 Be ("< LOD" means less t Styrene Benzen abels to be declared in P14. reparation, even if not legall	nzene <i>0.03 / 0.03</i> han limit of detection.) e TVOC			
devices: TE: compliance with maxi maximable materials for p Safety Data Sheet (SDS) is per containing post-consul 12281. ided (duplex) printing/cop	ion phase) is (mg/h): Color, Ozone 2.2 / 0.9 Dust 3.9 / TVOC 9.5 / 4.3 Dust mum emission rates in eco la printing products a vailable for the ink/toner p mer recycled fibers can be us	Monochrome N/A Styrene 1.3 / 0.1 Be ("< LOD" means less t Styrene Benzen abels to be declared in P14. reparation, even if not legall	han limit of detection.) e TVOC			
ectrophotographic devices: DTE: compliance with maxi nsumable materials for j Safety Data Sheet (SDS) is per containing post-consul 12281. ided (duplex) printing/cop	Ozone 2.2/0.9 Dust 3.9/ TVOC 9.5/4.3 Dust mum emission rates in eco la printing products s available for the ink/toner p mer recycled fibers can be us	N/A Styrene 1.3 / 0.1 Be ("< LOD" means less t Styrene Benzen abels to be declared in P14. reparation, even if not legall	han limit of detection.) e TVOC			
devices: DTE: compliance with maxi nsumable materials for p Safety Data Sheet (SDS) is per containing post-consul 12281. ided (duplex) printing/cop	TVOC 9.5 / 4.3 Dust mum emission rates in eco la printing products a available for the ink/toner p mer recycled fibers can be us	("< LOD" means less t Styrene Benzen abels to be declared in P14. reparation, even if not legall	han limit of detection.) e TVOC			
TE: compliance with maxi nsumable materials for p Safety Data Sheet (SDS) is per containing post-consul 12281. ided (duplex) printing/cop	Dust mum emission rates in eco la printing products s available for the ink/toner p mer recycled fibers can be us	Styrene Benzen abels to be declared in P14. reparation, even if not legall	e TVOC			
TE: compliance with maxi nsumable materials for p Safety Data Sheet (SDS) is per containing post-consul 12281. ided (duplex) printing/cop	mum emission rates in eco li printing products s available for the ink/toner p mer recycled fibers can be u	Styrene Benzen abels to be declared in P14. reparation, even if not legall	e TVOC			\square
TE: compliance with maxi nsumable materials for p Safety Data Sheet (SDS) is per containing post-consul 12281. ided (duplex) printing/cop	mum emission rates in eco li printing products s available for the ink/toner p mer recycled fibers can be u	abels to be declared in P14. reparation, even if not legall				\boxtimes
TE: compliance with maxi nsumable materials for p Safety Data Sheet (SDS) is per containing post-consul 12281. ided (duplex) printing/cop	mum emission rates in eco li printing products s available for the ink/toner p mer recycled fibers can be u	abels to be declared in P14. reparation, even if not legall				M
Safety Data Sheet (SDS) is per containing post-consul 12281. ided (duplex) printing/copy	s available for the ink/toner p mer recycled fibers can be u		y required (see P4.3).			
Safety Data Sheet (SDS) is per containing post-consul 12281. ided (duplex) printing/copy	s available for the ink/toner p mer recycled fibers can be u		y required (see P4.3).			
per containing post-consul 12281. ided (duplex) printing/copy	mer recycled fibers can be u		y required (See 1 4.0).	\boxtimes		
12281. ided (duplex) printing/copy		seu, provideu triat it meets t	he requirements of		┝┝	╶╞╡
e product is delivered to er	ying is an integrated product	function.		\boxtimes		
	nd-user with default auto-dup	lex enabled.		\boxtimes		
ckaging and documenta						
	ype(s): Paper / Cardboard	weight (kg): 11.9				
oduct packaging material t		weight (kg): 1.36				
oduct packaging material to oduct plastic primary packa		weight (kg): 16.2		\square		
	•••	cify the contained percenta	ae of minimum post-			╶⊢┤
nsumer recovered fiber co	ntent: 50 %	city the contained percenta	ge of minimum post-			
		сх):				
				_	_	
	ition on paper media is chlori	ne-free:		\bowtie		
es, please specify:						
tally chlorine-free						
emental chlorine-free						
ocessed chlorine-free						
luntary programs:						
e product meets the requir	ements of the following volu	ntary program(s):				
	Criterie version.	Data	Due du et ante nom u			
ERGISTAR®	Criteria version:	Date:	Product category:			
o-label:	Criteria version:	Date:	Product category:			
o-label: Nordic Ecolabel	Criteria version: 6	Date:23 March 2018		Imaging E	quipm	ent
	NOTE B11)					
	sumer recovered fiber con cify media for user and p ctronic , Paper , ot ase only complete this ite r and product documenta es, please specify: ally chlorine-free mental chlorine-free cessed chlorine-free untary programs: product meets the requir ERGY STAR® -label: -label:	sumer recovered fiber content: 50 % cify media for user and product documentation (tick be ctronic , Paper , Other) ase only complete this item if paper documentation us r and product documentation on paper media is chlorites, please specify: ally chlorine-free nental chlorine-free untary programs: product meets the requirements of the following volur ERGY STAR® Criteria version: -label: Criteria version:	sumer recovered fiber content: 50 % cify media for user and product documentation (tick box): ctronic , Paper , Other , as only complete this item if paper documentation used) r and product documentation on paper media is chlorine-free: es, please specify: ally chlorine-free mental chlorine-free untary programs: product meets the requirements of the following voluntary program(s): ERGY STAR® Criteria version: -label: Criteria version: Date: -label: Nordic Ecolabel Criteria version: 6 Date: 23 March 2018	cify media for user and product documentation (tick box): ctronic ∑, Paper ∑, Other □ ase only complete this item if paper documentation used) r and product documentation on paper media is chlorine-free: as, please specify: ally chlorine-free nental chlorine-free cessed chlorine-free untary programs: product meets the requirements of the following voluntary program(s): ERGY STAR® Criteria version: Date: Product category: -label: Criteria version: 6 Date: 23 March 2018 Product category:	sumer recovered fiber content: 50 % cify media for user and product documentation (tick box): ctronic , Paper , Other , ase only complete this item if paper documentation used) r and product documentation on paper media is chlorine-free: es, please specify: ally chlorine-free mental chlorine-free mental chlorine-free untary programs: product meets the requirements of the following voluntary program(s): ERGY STAR® Criteria version: Label: Criteria version: Date: -label: Nordic Ecolabel Product category: -label: Nordic Ecolabel Product category:	sumer recovered fiber content: 50 % cify media for user and product documentation (tick box): ctronic , Paper , Other ase only complete this item if paper documentation used) r and product documentation on paper media is chlorine-free: es, please specify: ally chlorine-free nental chlorine-free cessed

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Legar references Europe Annex Dr	1
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	