

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Sharp	Logo
Company name *	Sharp Electronics Europe Ltd	CLIADO
Contact information *	environment@sharp.eu	SHARP
e-mail address		
Internet site *	www.sharp.eu	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	MFP				
Commercial name *	MX-C304W				
Model number *	MX-C304W				
Issue date *	14th, February, 2019				
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 🔛 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	umber *	MX-C304W	Log					
Issue da	te *	14th,February,2019			SH		A F	P
Product	t environ	mental attributes - Legal requirements			Req	uire	ment	met
Item					Y	es	No	n.a.
P1		ous substances and preparations						
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)							
P1.2*	Commer	e do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				\triangleleft		
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC) profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carb ethane, methyl bromide (see legal reference). Comment: Legal reference ration values.	ontetrachloride		1-	\triangleleft		
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005 (PCT) in preparations (see legal reference).	5% polychlorina	ited		\triangleleft		
P1.5*		b do not contain more than 0,1% short chain chloroparaffins (SCCP) with 1 ntaining at least 48% per mass of chlorine in the SCCP (see legal reference)		toms	in the	\triangleleft		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentration al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	s above 0,5 μg	/cm²/\	week	\triangleleft		
P1.7*		Article 33 information about substances in articles is available at (add UR	L or mail conta	ct):		\triangleleft		
P2	Batterie	S						
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labe Information on proper disposal is provided in user manual. (See legal refe		sposa	ll [\boxtimes
P2.2*		Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)						\boxtimes
P3	Conformity verification & Eco design (ErP)							
P3.1*	The proc	duct is CE-marked to show conformance with applicable legal requirement laration of Conformity can be requested at (add link or e-mail address):	ts (see legal re	ferenc	ce).			\square
P3.2*		The product complies with the Eco design requirements for energy-related products, (see legal reference).						
	Required	d information is; given in item P15 or added to this document, available at (add URL):			L			\boxtimes
P4	Consum	able materials						
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cac erence and NOTE B1).	dmium max 0,0	1% (s	see	\triangleleft		
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weigh	nt (see legal ref	erenc	;e).	\triangleleft		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). NOTE: The toner is not classified as hazardous.							
P5		packaging						
P5.1*	hexavale	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and X hexavalent chromium by weight of these together.						
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the legal reference).				\triangleleft		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal X							
P6		nt information				-		
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				\leq		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	MX-C304W Logo						
Issue date *		14th,February,2019	S	H/	4	Sb		
		mental attributes - Market requirements (See General NOTE GN below) nental conscious design	Re	quire	ement	met		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
P7	Design							
P7.1*		mbly, recycling t have to be treated separately are easily separable						
P7.2*	Parts that have to be treated separately are easily separable Image: Control of the separately are easily separable Plastic materials in covers/housing have no surface coating. Image: Control of the separately are easily separable							
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available to			<u> </u>	<u> </u>		
P7.6*			015.		<u> </u>	<u> </u>		
P7.0		re easily separable. (This requirement does not apply to safety/regulatory labels).						
P7.7*	Product Upgradin	g can be done e.g. with processor, memory, cards or drives						
P7.8*		g can be done using commonly available tools			╞			
P7.9.		rts are available after end of production for: 7 years						
P7.10		s available after end of production for: 7 years				<u> </u>		
17.10		and substance requirements						
P7.11*	Product of Material 1	cover/housing material type (e.g. plastics, metal, aluminum):	<u></u> т					
P7.12	Insulation materials of external electrical cables are PVC free.							
P7.13	Insulation materials of internal electrical cables are PVC free.							
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts							
P7.15	containing more than 25% post-consumer recycled content. Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low below as defined to 150 243 40.0 dt (200 NOTE D0)							
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2) Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: (FR40)							
P7.17	<u>Alt. 1:</u> Ch TBBPA (a	nemical specifications of flame retardants in printed circuit boards > 25 g (without components additive) \Box , TBBPA (reactive) \boxtimes (See NOTE B3), Other; chemical name: , CAS #: nemical specifications of flame retardants in printed circuit boards (without components) > 25						
	according	g ISO 1043-4:	A					
P7.18	<u>Alt. 1:</u> Fla concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparat ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	ions in					
	<u>Alt. 2: </u> Ch	hemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		\square				
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have bee the following Risk phrases; and Hazard statements:						
		ce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)	N7				
P7.20*	lf YES; a a) Of to perc	sumer recycled plastic material content is used in the product (See NOTE B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculate centage of total plastic by weight) is $0 \sim 1.0$ %.	ed as a					
	or b) The	weight of recycled material is g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	MX-C304	W				Logo			
Issue date	e *	14th,Febr	ruary,2019						AR	Ρ
Product	environr	nental att	ributes - Market re	quirements (co	ntinued)			Requ	irement	met
Item								Ŷ	'es No	n.a.
DT a / t	Material and substance requirements (continued)									
P7.21*		•	aterial content is used i		,			l		
	a) Of tota or	total plastic al plastic by	of the two alternatives parts' weight > 25 g, weight) is %. he biobased plastic m	the biobased pla		ent (calculate	d as a per	rcentage of		
P7.22*			ee from mercury, i.e. le pecify: Number of lam		mp. ximum mercury co	ontent per lar	ıp: ı	mg		
P8	Batterie	-								
P8.1*			mposition: LiMnO2							
P9			on (See NOTE B8)							
P9.1		product the	following power levels		· · · ·					
Energy mo	ode *		Power level at 100 V AC	Power level a 115 V AC	t Power le 230 V		ference/St des and te	tandard for est method *	energy	
	de for ENE perational lucts		W	W	W					\square
ENERGY	off mode fo STAR Ope (1) products	erational	W	W	W					
		GY STAR	kWh/week	kWh/weeł	< 1.9 kWh/we	1.9 kWh/week [*] Energy Star		(ver. 2.0)		
TEC produ	ucts				%The above	%The above TEC value meets TE		TEC Requirer	nent of	
(TEC= Ty Consumpt	pical Energ tion)	ЭУ			ENERGY	STAR for Ima	ging Equip	ment Version	2.0 .	
Maximum consump			W	W	1840 W	1840 W				
Operating	g mode		W	W	570 W	570 W				
Ready mo	ode		W	W	110 W	110 W				
Preheat n	node		W	W	97 W	97 W				
Auto pow	ver shut-o	ff mode	W	W	1.0 W	1.0 W				Ħ
Plug-in o	ff mode		W	W	0.1 W					$\overline{-}$
-		oly Efficienc	y Level (International							
							1			
Print/Scar			30 images per minute				lor/Mono	unune		<u> </u>
			ve mode: 11 minutes							
P9.2*			e energy save function	n is provided with	the product.					
P10		ons (See NO								
P10.1	Noise e Mode		Declared according to ode description	150 9296	Declared		Doclarad	A-weighted		
P10.1	wode	IVI	ode description		A-weighted			level L_{pAm} (a	1B)	
					sound power			-		-
					level L_{WAd} (B)	Deskt		tor position Bystander positi Desktop (only if product is operator attend		
	Idle	*	Ready	* 3.8		22			,	
	Operatio		Operation	* 7.0			53			
	Other m	ode]
	Measure	ed accordine		ECMA-74 (only if not covered	d by ECMA-74 wit	h L _{pAm} measu	irement dis	stance	m)	
	The prod	duct meets	the acoustic noise requ						X D	
								K		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model n	umber *	MX-C304W			Logo			
Issue da	Issue date * 14th,February,2019					HA	R	Ρ
Product	t environ	mental attribute	s - Market requirements (c	ontinued)		Require	ment	met
Item						Yes	No	n.a.
D/A At			printing products (See NOTE					
P10.2*	•	-	to ECMA-328 Determination of (n Electronic	\square		
P10.3	Equipment (ISO/IEC 28360) , other specify: <i>Blue Angel RAL-UZ 205</i> Typical emission rate (operation phase) is (mg/h): <i>Color/Monochrome</i>							
P10.3	Typical	emission rate (ope	ration phase) is (mg/n): Color/IV	lonochrome				
	Electro	photographic device	es: Ozone 2.7/0.7 Dust 0.5/- TVOC 2.8/2.0					
			_	("< LOD" means less tha)		\square
	Ink dev		Dust	Styrene Benzene	TVOC			
D 44			timum emission rates in eco lab	els to be declared in P14.				
P11 P11.1*			r printing products) is available for the ink/toner pr	enaration, even if not legally r	equired (see P4 3)			
P11.2*			sumer recycled fibers can be		,		븜	╞
	EN 122	81.	-		s the requirements	of 🔀		
P11.3*			opying is an integrated product f					
P11.4*	The pro	oduct is delivered to	end-user with default auto-dupl	ex enabled.		\square		
P13	Packaging and documentation							
P13.1*	Produc		Il type(s): <i>Paper / Cardboard</i> Il type(s): <i>Plastic / EPS</i> Il type(s):	weight (kg): <i>3.19</i> weight (kg): <i>0.51</i> weight (kg):				
P13.2*			ckaging is free from PVC.			\square		
P13.3*		duct primary corruner recovered fiber	gated fiberboard packaging, sp content: 80 %	pecify the contained percenta	age of minimum po			
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	Úser ar		item if paper documentation us ntation on paper media is chlorir					
	Totally	chlorine-free						
	Elemental chlorine-free							
	Process	sed chlorine-free						
P14	Volunt	ary programs:						
P14.1	The pro	oduct meets the req	uirements of the following volun	tary program(s):				
	ENERG	GY STAR®	Criteria version:	Date:	Product category:			
	Eco-lab	el: Blue Angel	Criteria version: RAL-UZ205	Date: 7 January 2019	Product category:	Office Equij Printing Fu		
	Eco-lab		Criteria version:	Date:	Product category:	-		
P15	Additic	onal information (S	ee NOTE B11)					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1